Nuclear Engineering and Design 112 (1989) 349–350
North-Holland, Amsterdam

AUTHOR INDEX TO VOLUME 112

Ahlf, J., Bellmann, D., Schmitt, F.J. and Pott, G., The consideration of irradiation embrittlement of RPV steels in German licensing rules as compared to recent results of irradiation experiments 112 (1989) 155
Ahmed, K., see Schubert 112 (1989) 291
Aurich, D., Wobst, K. and Krafka, H., J_R-curves of wide plates and CT25 specimens – Comparison of the results of a pressure vessel 112 (1989) 319

Bartholomé, G., see Roos 112 (1989) 183
Baumann, B., Gnirss, G., Neureuther, H. and Schneider, K., MINERVA, qualification of dissimilar welds for HTR-application 112 (1989) 311
Becker, K.E., Joas, H.D., Meyer, A.R. and Schmitt-Thomas, Kh.G., Characteristic experimental data for evaluating the fracture toughness of impact loaded medium-scale-specimens 112 (1989) 37
Bellman, D., see Alhf 112 (1989) 155
Bevitt, E., see Quirk 112 (1989) 81
Blind, D., see Mikkola 112 (1989) 197
Breitbach, G., see Schubert 112 (1989) 291
Brekow, G., Wüstenberg, H., Möhrle, W. and Schulz, E., Phased array concept for the ultrasonic inservice inspection of the spherical bottom of BWR pressure vessels 112 (1989) 105
Brocks, W., Künecke, G., Noack, H.-D. and Veith, H., On the transferability of fracture mechanics parameters from specimens to structures using FEM 112 (1989) 1

Casadei, F., see Jones 112 (1989) 51
Curbach, M., see Eibl 112 (1989) 45

Delzano, C., Gutierrez, E., Jones, P.M. and Verzeletti, G., Recent developments and results of LDTF tests on steel and concrete specimens 112 (1989) 65
Dernbach, B., see Simon 112 (1989) 229
Diem, H., see Mikkola 112 (1989) 197

Eibl, J. and Curbach, M., An attempt to explain strength increase due to high loading rates 112 (1989) 45

Gaffel, K., see Loehberg 112 (1989) 243
Gebhardt, W., Schmitz, V., Von Bernus, L. and Kröning, M., Evaluation of ultrasonic volume- and underclad indications at long distances 112 (1989) 115
Gnirss, G., see Baumann 112 (1989) 311
Gross, L.B., see Lowe, Jr. 112 (1989) 165
Guth, W., see Kussmaul 112 (1989) 337
Gutierrez, E., see Delzano 112 (1989) 65

Hädrich, H.-J., see Julisch 112 (1989) 93
Halleux, J.P., see Jones 112 (1989) 51
Heinrich, D., Mayer, K.-H., Müller, G. and Prestel, W., Manual and mechanized ultrasonic inspection of large components in respect of flaw estimation by fracture mechanics 112 (1989) 127
Herter, K.-H., see Roos 112 (1989) 183
Hippelein, K., see Stoppler 112 (1989) 173
Hunger, H., see Mikkola 112 (1989) 197

Ikonen, K., see Rintamaa 112 (1989) 299
Iwadate, T., see Tanaka 112 (1989) 15

Joas, H.D., see Becker 112 (1989) 37
Jones, P.M., Casadei, F. and Halleux, J.P., Progress in numerical modelling of dynamic specimen behaviour in the LDTF 112 (1989) 51
Jones, P.M., see Delzano 112 (1989) 65
Jovanovic, A., Sauter, A. and Lucia, A.C., Some current issues in the PTS research 112 (1989) 259
Julisch, P., Hädrich, H.-J., Stadtmüller, W. and Sturm, D., Load bearing and deformation behaviour of dynamically loaded wide plate specimens 112 (1989) 93
Julisch, P., see Roos 112 (1989) 183

Keinanen, H., see Rintamaa 112 (1989) 299
Kerkhof, K., see Sauter 112 (1989) 211
Klein, M., see Neubrech 112 (1989) 139
Kordisch, H., Sommer, E. and Schmitt, W., The influence of triaxiality on stable crack growth 112 (1989) 27
Krafka, H., see Aurich 112 (1989) 319
Kröning, M., see Gebhardt 112 (1989) 115
Künecke, G., see Brocks 112 (1989) 1
Kussmaul, K., Roos, E., Guth, W. and Szimmat, J., A contribution to the numerical and experimental determination of residual stresses in welds 112 (1989) 337

Loehberg, R., Ullrich, W. and Gaffel, K., Shafts of main coolant pumps-failure analysis and remedies 112 (1989) 243
Lowe, Jr., A.L., Moore, K.E. and Gross, L.B., B&W owners group reactors vessel integrity program – The first ten years 112 (1989) 165
Lucia, A.C., see Jovanovic 112 (1989) 259

Marschke, D., see Rubel 112 (1989) 329
Mayer, K.-H., see Heinrich 112 (1989) 127
Meyer, A.R., see Becker 112 (1989) 37
Micheel, see Rubel 112 (1989) 329
Mikkola, T.P.J., Diem, H., Blind, D. and Hunger, H., Failure behavior of a pipe system with a circumferentially orientated flaw-Analytical and experimental investigations 112 (1989) 197
Möhrle, W., see Brekow 112 (1989) 105
Moore, K.E., see Lowe, Jr. 112 (1989) 165
Müller, G., see Heinrich 112 (1989) 127

Neubrech, G.E., Walte, F., Waschkies, E. and Klein, M., A fracture mechanics interpretation of acoustic emission results 112 (1989) 139
Neureuther, H., see Baumann 112 (1989) 311
Nickel, H., see Penkalla 112 (1989) 279
Nickel, H., see Schubert 112 (1989) 291
Noack, H.-D., see Brocks 112 (1989) 1

Odar, S., see Stellwag 112 (1989) 221

Penkalla, H.-J., Nickel, H. and Schubert, F., Multiaxial creep of tubes from Incoloy 800 H and Inconel 617 under static and cyclic loading conditions 112 (1989) 279
Pott, G., see Alhf 112 (1989) 279
Prestel, W., see Heinrich 112 (1989) 127

Quirk, A. and Bevitt, E., The history, development and application of a uniformly applied load wide plate testing machine 112 (1989) 81

Rintamaa, H., Keinanen, H., Törrönen, K., Talja, H., Saarenheimo, A. and Ikonen, K., Verification of the analysis for fracture behaviour estimation of pressure vessels 112 (1989) 229
Roos, E., Herter, K.-H., Julisch, P., Bartholomé, G. and Senski, G., Assessment of large scale pipe tests by fracture mechanics approximation procedures with regard to leak-before-break 112 (1989) 183
Roos, E., see Kussmaul 112 (1989) 337
Rubel, H., Marschke, D., Tautz, J. and Micheel, G., Inconel X-750 as material for core internals and core components – Status of in-service experience and replacements at Siemens KWU group 112 (1989) 329

Saarenheimo, A., see Rintamaa 112 (1989) 299
Sauter A., see Jovanovic 112 (1989) 259
Sauter, A., Turan K., Kerkhof, K. and Wagemann, G., Fracture mechanics analysis of a pipe elbow 112 (1989) 211
Schiedermaier, J., see Stoppler 112 (1989) 173
Schmitt, F.H., see Alhf 112 (1989) 155
Schmitt, W., see Kordisch 112 (1989) 27
Schmitt-Thomas, Kh.G., see Becker 112 (1989) 37
Schmitz, V., see Gebhardt 112 (1989) 115
Schneider, K., see Baumann 112 (1989) 311
Schubert, F., Ahmed, K., Breitbach, G. and Nickel, H., Experimental and theoretical investigations of creep buckling on NiCr22Co12Mo tubes at 950 °C 112 (1989) 291
Schubert, F., see Penkalla 112 (1989) 279
Schulz, E., see Brekow 112 (1989) 105
Senski, G., see Roos 112 (1989) 183
Shen, S., see Stoppler 112 (1989) 173
Simon, U. and Dernbach, B., Valve testing and development in the laboratories of the KWU group of Siemens AG 112 (1989) 229
Sommer, E., see Kordisch 112 (1989) 27
Stadtmüller, W., see Julisch 112 (1989) 93
Stellwag, B. and Odar, S., Material compatibility during the chemical cleaning of steam generatores with chelating solutions 112 (1989) 221
Stoppler, W., Schiedermaier, J., Hippelein, K., Sturm, D. and Shen, S., Crack behaviour of pipes under internal pressure and simultaneous external bending moment 112 (1989) 173
Sturm, D., see Julisch 112 (1989) 93
Sturm, D., see Stoppler 112 (1989) 173
Suzuki, K., see Tanaka 112 (1989) 15
Szimmat, J., see Kussmaul 112 (1989) 337

Talja, H., see Rintamaa 112 (1989) 229
Tanaka, Y., Suzuki, K. and Iwadate, T., Prediction of large specimen fracture toughness from small specimen tests 112 (1989) 15
Tautz, J., see Rubel 112 (1989) 329
Törrönen, K., see Rintamaa 112 (1989) 299
Turan, K., see Sauter 112 (1989) 211

Ullrich, W., see Loehberg 112 (1989) 243

Veith, H., see Brocks 112 (1989) 1
Verzeletti, G., see Delzano 112 (1989) 65
Von Bernus, L., see Gebhardt 112 (1989) 115

Wagemann, G., see Sauter 112 (1989) 211
Walte, F., see Neubrech 112 (1989) 139
Waschkies, E., see Neubrech 112 (1989) 139
Wobst, K., see Aurich 112 (1989) 319
Wüstenberg, H., see Brekow 112 (1989) 105

Nuclear Engineering and Design 112 (1989) 351–352
North-Holland, Amsterdam

SUBJECT INDEX TO VOLUME 112

Engineering mechanics

Fracture mechanics analysis of a pipe elbow, A. Sauter, K. Turan, K. Kerkhof and G. Wagemann 112 (1989) 211

Materials properties

On the transferability of fracture mechanics parameters from specimens to structures using FEM, W. Brocks, G. Künecke, H.-D. Noack and H. Veith 112 (1989) 1

Prediction of large specimen fracture toughness from small specimen tests, Y. Tanaka, K. Suzuki and T. Iwadate 112 (1989) 15

The influence of triaxcality on stable crack growth, H. Kordisch, E. Sommer, W. Schmitt 112 (1989) 27

Characteristic experimental data for evaluating the fracture toughness of impact loaded medium-scale-specimens, K.E. Becker, H.D. Joas, A.R. Meyer and Kh.G. Schmitt-Thomas 112 (1989) 37

An attempt to explain strength increase due to high loading rates, J. Eibl and M. Curbach 112 (1989) 45

Progress in numerical modelling of dynamic specimen behaviour in the LDTF, P.M. Jones, F. Casadei, J.P. Halleux 112 (1989) 51

Recent developments and results of LDTF tests on steel and concrete specimens, C. Delzano, E. Gutierrez, P.M. Jones and G. Verzeletti 112 (1989) 65

The history, development and application of a uniformly applied load wide plate testing machine, A. Quirk and E. Bevitt 112 (1989) 81

Load bearing and deformation behaviour of dynamically loaded wide plate specimens, P. Julisch, H.-J. Hädrich, W. Stadtmüller and D. Sturm 112 (1989) 93

The consideration of irradiation embrittlement of RPV steels in German licensing rules as compared to recent results of irradiation experiments, J. Ahlf, D. Bellmann, F.J. Schmitt, G. Pott 112 (1989) 155

B&W Owners Group Reactor Vessel Integrity Program – The first ten years, A.L. Lowe, Jr., K.E. Moore and L.B. Gross 112 (1989) 165

Material compatibility during the chemical cleaning of steam generators with chelating solutions, B. Stellwag and S. Odar 112 (1989) 221

Shafts of main coolant pumps – Failure analysis and remedies, R. Loehberg, W. Ullrich, K. Gaffel 112 (1989) 243

Multiaxial creep of tubes from Incoloy 800 H and Inconel 617 under static and cyclic loading conditions, H.-J. Penkalla, H. Nickel, F. Schubert 112 (1989) 279

Experimental and theoretical investigations of creep buckling on NiCr 22 Co 12 Mo tubes at 950 °C, F. Schubert, K. Ahmed, G. Breitbach, H. Nickel 112 (1989) 291

Verification of the analysis for fracture behaviour estimation of pressure vessels, R. Rintamaa, H. Keinanen, K. Törrönen, H. Talja, A. Saarenheimo, K. Ikonen 112 (1989) 299

J_R-curves of wide plates and CT25 specimens – Comparison of the results of a pressure vessel, D. Aurich, K. Wobst, H. Krafka 112 (1989) 319

Inconel X-750 as material for core internals and core components – Status of in-service experience and replacements at Siemens KWU group, H. Rubel, D. Marschke, J. Tautz and G. Micheel 112 (1989) 329

A contribution to the numerical and experimental determination of residual stresses in welds, K. Kussmaul, E. Roos, W. Guth, J. Szimmat 112 (1989) 337

Mechanical design, component fabrication and testing

On the transferability of fracture mechanics parameters from specimens to structures using FEM, W. Brocks, G. Künecke, H.-D. Noack and H. Veith 112 (1989) 1

Progress in numerical modelling of dynamic specimen behaviour in the LDTF, P.M. Jones, F. Casadei, J.P. Halleux 112 (1989) 51

Recent developments and results of LDTF tests on steel and concrete specimens, C. Delzano, E. Gutierrez, P.M. Jones and G. Verzeletti 112 (1989) 65

Load bearing and deformation behaviour of dynamically loaded wide plate specimens, P. Julisch, H.-J. Hädrich, W. Stadtmüller and D. Sturm 112 (1989) 93

Phased array concept for the ultrasonic in-service inspection of the spherical bottom of BWR pressure vessels, G. Brekow, H. Wüstenberg, W. Möhrle and E. Schulz 112 (1989) 105
Evaluation of ultrasonic volume- and underclad indications at long distances, W. Gebhardt, V. Schmitz, L. von Bernus and M. Kröning 112 (1989) 115
Manual and mechanized ultrasonic inspection of large components in respect of flaw estimation by fracture mechanics, D. Heinrich, K.-H. Mayer, G. Müller and W. Prestel 112 (1989) 127
A fracture mechanics interpretation of acoustic emission results, G.E. Neubrech, F. Walte, E. Waschkies and M. Klein 112 (1989) 139
B&W Owners Group Reactor Vessel Integrity Program – The first ten years, A.L. Lowe, Jr., K.E. Moore and L.B. Gross 112 (1989) 165
Crack behaviour of pipes under internal pressure and simultaneous external bending moment, W. Stoppler, J. Schiedermaier, K. Hippelein, D. Sturm and S. Shen 112 (1989) 173
Assessment of large scale pipe tests by fracture mechanics approximation procedures with regard to leak-before-break, E. Roos, K.-H. Herter, P. Julisch, G. Bartholomé and G. Senski 112 (1989) 183
Failure behavior of a pipe system with a circumferentially orientated flaw – Analytical and experimental investigations, T.P.J. Mikkola, H. Diem, D. Blind and H. Hunger 112 (1989) 197
Fracture mechanics analysis of a pipe elbow, A. Sauter, K. Turan, K. Kerkhof and G. Wagemann 112 (1989) 211
Material compatibility during the chemical cleaning of steam generators with chelating solutions, B. Stellwag and S. Odar 112 (1989) 221
Valve testing and development in the laboratories of the KWU Group of Siemens AG, U. Simon and B. Dernbach 112 (1989) 229
Shafts of main coolant pumps – Failure analysis and remedies, R. Loehberg, W. Ullrich, K. Gaffel 112 (1989) 243
Some current issues in the PTS research, A. Jovanović, A. Sauter, A.C. Lucia 112 (1989) 259
Multiaxial creep of tubes from Incoloy 800 H and Inconel 617 under static and cyclic loading conditions, H.-J. Penkalla, H. Nickel, F. Schubert 112 (1989) 279
Experimental and theoretical investigations of creep buckling on NiCr 22 Co 12 Mo tubes at 950 °C, F. Schubert, K. Ahmed, G. Breitbach, H. Nickel 112 (1989) 291
Verification of the analysis for fracture behaviour estimation of pressure vessels, R. Rintamaa, H. Keinanen, K. Törrönen, H. Talja, A. Saarenheimo, K. Ikonen 112 (1989) 299
MIVERVA, qualification of dissimilar welds for HTR-application, B. Baumann, G. Gnirss, H. Neureuther and K. Schneider 112 (1989) 311
J_R-curves of wide plates and CT25 specimens – Comparison of the results of a pressure vessel, D. Aurich, K. Wobst, H. Krafka 112 (1989) 319
Inconel X-750 as material for core internals and core components – Status of in-service experience and replacements at Siemens KWU group, H. Rubel, D. Marschke, J. Tautz and G. Micheel 112 (1989) 329
A contribution to the numerical and experimental determination of residual stresses in welds, K. Kussmaul, E. Roos, W. Guth, J. Szimmat 112 (1989) 337

CONTENTS

Selected Papers from the 13th MPA-Seminar, held on October 8 and 9, 1987, in Stuttgart, Fed. Rep. Germany

Preface, *K. Kussmaul* ix

On the transferability of fracture mechanics parameters from specimens to structures using FEM, *W. Brocks, G. Künecke, H.-D. Noack and H. Veith* 1

Prediction of large specimen fracture toughness from small specimen tests, *Y. Tanaka, K. Suzuki and T. Iwadate* 15

The influence of triaxiality on stable crack growth, *H. Kordisch, E. Sommer and W. Schmitt* 27

Characteristic experimental data for evaluating the fracture toughness of impact loaded medium-scale-specimens, *K.E. Becker, H.D. Joas, A.R. Meyer and Kh. G. Schmitt-Thomas* 37

An attempt to explain strength increase due to high loading rates, *J. Eibl and M. Curbach* 45

Progress in numerical modelling of dynamic specimen behaviour in the LDTF, *P.M. Jones, F. Casadei and J.P. Halleux* 51

Recent developments and results of LDTF tests on steel and concrete specimens, *C. Delzano, E. Gutierrez, P.M. Jones and G. Verzeletti* 65

The history, development and application of a uniformly applied load wide plate testing machine, *A. Quirk and E. Bevitt* 81

Load bearing and deformation behaviour of dynamically loaded wide plate specimens, *P. Julisch, H.-J. Hädrich, W. Stadtmüller and D. Sturm* 93

Phased array concept for the ultrasonic inservice inspection of the spherical bottom of BWR pressure vessels, *G. Brekow, H. Wüstenberg, W. Möhrle and E. Schulz* 105

Evaluation of ultrasonic volume- and underclad indications at long distances, *W. Gebhardt, V. Schmitz, L. von Bernus and M. Kröning* 115

Manual and mechanized ultrasonic inspection of large components in respect of flaw estimation by fracture mechanics, *D. Heinrich, K.-H. Mayer, G. Müller and W. Prestel* 127

A fracture mechanics interpretation of acoustic emission results, *G.E. Neubrech, F. Walte, E. Waschkies and M. Klein* 139

The consideration of irradiation embrittlement of RPV steels in German licensing rules as compared to recent results of irradiation experiments, *J. Ahlf, D. Bellmann, F.J. Schmitt and G. Pott* 155

B & W owners group reactor vessel integrity program – The first ten years, *A.L. Lowe, Jr., K.E. Moore and L.B. Gross* 165

Crack behaviour of pipes under internal pressure and simultaneous external bending moment, *W. Stoppler, J. Schiedermaier, K. Hippelein, D. Sturm and S. Shen* 173

Assessment of large scale pipe tests by fracture mechanics approximation procedures with regard to leak-before-break, *E. Roos, K.-H. Herter, P. Julisch, G. Barholomé and G. Senski* 183
Failure behavior of a pipe system with a circumferentially orientated flaw – Analytical and experimental investigations, *T.P.J. Mikkola, H. Diem, D. Blind and H. Hunger* 197
Fracture mechanics analysis of a pipe elbow, *A. Sauter, K. Turan, K. Kerkhof and G. Wagemann* 211
Material compatibility during the chemical cleaning of steam generators with chelating solutions, *B. Stellwag and S. Odar* 221
Valve testing and development in the laboratories of the KWU group of Siemens AG, *U. Simon and B. Dernbach* 229
Shafts of main coolant pumps – Failure analysis and remedies, *R. Loehberg, W. Ullrich and K. Gaffel* 243
Some current issues in the PTS research, *A. Jovanović, A. Sauter and A.C. Lucia* 259
Multiaxial creep of tubes from Incoloy 800 H and Inconel 617 under static and cyclic loading conditions, *H.-J. Penkalla, H. Nickel and F. Schubert* 279
Experimental and theoretical investigations of creep buckling on NiCr 22 Co 12 Mo tubes at 950 °C, *F. Schubert, K. Ahmed, G. Breitbach and H. Nickel* 291
Verification of the analysis for fracture behaviour estimation of pressure vessels, *H. Rintamaa, H. Keinanen, K. Törrönen, H. Talja, A. Saarenheimo and K. Ikonen* 299
MINERVA, qualification of dissimilar welds for HTR-application, *B. Baumann, G. Gnirss, H. Neureuther and K. Schneider* 311
J_R-curves of wide plates and CT25 specimens – Comparison of the results of a pressure vessel, *D. Aurich, K. Wobst and H. Krafka* 319
Inconel X-750 as material for core internals and core components – Status of in-service experience and replacements at Siemens KWU Group, *H. Rubel, D. Marschke, J. Tautz and G. Micheel* 329
A contribution to the numerical and experimental determination of residual stresses in welds, *K. Kussmaul, E. Roos, W. Guth and J. Szimmat* 337

Author index 349

Subject index 351

Instructions to contributors 353